


## Agenda

Cisco.com

- VPN Deployment & Management Challenges
- Technology background
- Cisco Easy VPN Solution
- Q&A




## Star Topology Central Site Router

Cisco.com

```
! Let's be courageous and let's define
! One crypto map entry per remote peer
!
crypto map HQ 10 ipsec-isakmp
set peer 172.21.115.2
set transform-set encrypt-des
match address 101


crypto map HQ 20 ipsec-isakmp
set peer 172.21.116.2
set transform-set encrypt-des
match address 102
```

IPsec VPN Made Easy. © 2002, Cisco Systems, Inc. All rights reserved.



## VPN Deployment & Management Challenges

Cisco.com



IPsec VPN Made Easy, © 2002, Cisco Systems, Inc. All rights reserved.

7

## VPN Technology Requirements

Cisco.com



Encapsulate original (green) packet in a new packet (red), traverse shared backbone and require:


- Per packet encryption and authentication
- Private address assignment
- Private services assignment (DNS, WINS, domain,..)
- End point authentication (user, device)
- Network Address Translation

IPsec VPN Made Easy, © 2002, Cisco Systems, Inc. All rights reserved.

8

## Technology background - IKE Xauth/Mode-cfg

Cisco.com



Attribute	Value	Type	Length	Attribute	Value	Type
INTERNAL_IP_ADDRESS	1	Variable	0 or 4 octets	XAUTH-TYPE	14021	Variable ASCII string
INTERNAL_IP_INTNAME	2	Variable	0 or 4 octets	XAUTH-USER-NAME	14021	Variable ASCII string
INTERNAL_IP_JNS	3	Variable	0 or 4 octets	XAUTH-USER-PASSWORD	14022	Variable ASCII string
INTERNAL_IP_JNSK	4	Variable	0 or 4 octets	XAUTH-MESSAGE	14023	Variable ASCII string
INTERNAL_IP_JNSK_EXPIRY	5	Variable	0 or 4 octets	XAUTH-COMMAND	14024	Variable ASCII string
INTERNAL_IP_JNSK_HMAC	6	Variable	0 or 4 octets	XAUTH-SITSTATUS	14027	Basic
INTERNAL_IP_JNSK_MAC	7	Variable	0 or 4 octets	XAUTH-PORTID	14028	Variable
INTERNAL_IP_JNSK_SECRET	8	Variable	0 or more	XAUTH-ADDRESS	14029	Variable ASCII string
INTERNAL_IP STREET	13	Variable	0 or 8 octets			
...						
Reserved for future use	16-16383					

[draft-dukes-ike-mode-cfg-03.txt](#)

[draft-beaulieu-ike-xauth-03.txt](#)


IPsec VPN Made Easy, © 2002, Cisco Systems, Inc. All rights reserved.

9

## Cisco Easy VPN Solutions Leverages Cisco Unified VPN Client Framework

Cisco.com

**Cisco Easy VPN Remote**  
Eliminates complex remote-side configuration simplifying VPN deployments




IPsec VPN Made Easy, © 2002, Cisco Systems, Inc. All rights reserved.

10

## Remote Access Using Cisco Easy VPN

Cisco.com



IPsec VPN Made Easy, © 2002, Cisco Systems, Inc. All rights reserved.

11







## Easy VPN Feature Support

Cisco.com

- Mode configuration version 6 support
- Xauth version 6 support
- IKE Dead Peer Detection (DPD)
- Split tunneling control
- Dynamic NAT/PAT configuration
- Proxy DNS
- Group-based policy control

IPsec VPN Made Easy, © 2002, Cisco Systems, Inc. All rights reserved.

12



## Summary - Cisco Easy VPN Benefits

Cisco.com

- Streamlines VPN deployments for remote offices and teleworkers
- Simplifies on-going VPN management
- Ensures and applies up-to-date policies before connections are established
- Removes complex remote-side administration burden
- Provides a consistent policy, key management and system management approach for all Cisco VPN CPE devices - routers, security appliances and software clients

IPsec VPN Made Easy  
© 2002, Cisco Systems, Inc. All rights reserved.

19

## Questions?

Cisco.com



IPsec VPN Made Easy  
© 2002, Cisco Systems, Inc. All rights reserved.

20

**Thank you!**

Cisco.com

**IPsec VPN Made Easy**

fmajstor@cisco.com

**Cisco SYSTEMS**



© 2002, Cisco Systems, Inc.

[www.cisco.com](http://www.cisco.com)

22